

B. Braun Melsungen AG
Division Hospital Care
Safety Officer Medical Devices

34209 Melsungen Germany

Your reference:

Our reference: RECALL 2017-12-12 LS/DJ

Contact:

TO WHOM IT MAY CONCERN

Fon: 05661 71-xxxx Fax: 05661 75-xxxx

Email: xxx.yyyy@bbraun.com Internet: http://www.bbraun.de

Date: December, 12, 2017

Urgent FIELD SAFETY NOTICE

Vasco-OP Sensitive Gr.7 Sterile - Surgical Gloves

To whom it may concern,

B. Braun Melsungen AG has decided to conduct a FIELD SAFETY CORRECTIVE ACTION for the following product:

Article Number	Article Name	Batch
REF 6081029	Vasco-OP Sensitive Gr.7	17S0981
PZN ?????		17S0982
		17S0983
		17S0985
		17S0986

Reason for the Recall

In the course of our incoming inspections and further retests, we observed that the leakage rate of above mentioned batches exceed the given AQL-level.

Due to the observed fault, leakage may occur and in the consequence sterility might be compromised. As a measure of precaution we have decided to recall the affected batches.

We therefore advise the following actions:

Our records have shown that your hospital has received Vasco-OP Sensitive Gr.7 of the affected batches as mentioned in the table above.

We kindly ask you to initiate the following activities immediately and with priority:



Page 2 to the letter of December 12, 2017

- Identify and quarantine and return affected devices.
- Do not use affected devices anymore.
- Inform the responsible personnel/user staff in the affected facilities .
- Confirm receipt of this information.

If more information is needed, please contact

Local contact 1 Name Title Email telephone Local contact 2

Kindly accept our apologies for any inconveniences.

Yours sincerely,