## BIBRAUN

# B. Braun Melsungen AG Division Hospital Care Quality & Environment Management

Your reference:

Our reference: FSCA 2019-06-17 SK/LS

Contact:

TO WHOM IT MAY CONCERN

Fon: 05661 71-1339 Fax: 05661 75-1339

Email: stephan.krause@bbraun.com Internet: http://www.bbraun.de

Date: June 17, 2019

### **Urgent FIELD SAFETY NOTICE**

### Vasco-OP Sensitive Gr. 8,5 Sterile – Surgical Gloves

#### To whom it may concern,

B. Braun Melsungen AG has decided to conduct a FIELD SAFETY CORRECTIVE ACTION for the following product:

Article Number	Article Name	Batch
6081053	Vasco-OP Sensitive Gr.8,5	19S0440

#### Reason for the Recall

In the course of our incoming inspections and further retests, we observed that the leakage rate of above mentioned batches exceed the given AQL-level.

Due to the observed fault, leakage may occur and in the consequence sterility might be compromised. As a measure of precaution we have decided to recall the affected batch.

We therefore advise the following actions:

Our records have shown that your hospital has received Vasco-OP Sensitive Gr. 8,5 / batch 19S0440.

We kindly ask you to initiate the following activities immediately and with priority:

- Identify and quarantine and return affected devices.
- Do not use affected devices anymore.
- Inform the responsible personnel/user staff in the affected facilities .
- Confirm receipt of this information.

If more information is needed, please contact

# **B|BRAUN**

Page 2 to the letter of June 17, 2019 to

Local contact 1 Name Title Email telephone Local contact 2

Kindly accept our apologies for any inconveniences.

Yours sincerely,